Journal of Orthopaedic Research
14:1010-1011 The Journal of Bone and Joint Surgery, Inc.
© 1996 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 14, 1996

AUTHOR INDEX

Aalkjær C, 962
Aaron RK, 582
Abrahamsson S-O, 370
Adams ML, 329
Agel J, 173, 182
Ahmed AM, 778
Akeson WH, 729
Albanese SA, 921
Algan SM, 30
Alman BA, 311, 722
Al-Saffar N, 473
Al-Shaikh R, 526
Amiel D, 729
An K-N, 834
An YH, 455, 846
Anderson HC, 605
Anderson JR, 296
Andrews M, 289
Andriacchi TP, 289, 762
Andrish JT, 384
Andrulis IL, 700
Anglen J, 251
Aoki M, 513
Apostoles PS, 251
Armstrong KL, 633
Arnold AS, 144
Ashford MW Jr, 22
Ashman RB, 303
Aspenberg P, 316
Attawia MA, 445
Aune AK, 193

Bachrach LK, 22
Baker AR, 598
Baker KJ, 303
Bao G, 483
Barreto C, 927
Bartel DL, 755
Batten ML, 736
Bauer TW, 455
Beck TJ, 483
Bell RS, 700
Bellenger CR, 433
Berbaum KS, 980
Berenson MC, 518
Bertram J, 417
Bishop AT, 329, 956
Blankevoort L, 676
Blanton SH, 994
Blasier RB, 282
Blevins FT, 518
Boardman ND, 842
Bobechko WP, 296
Bobyn JD, 901
Bogoch E, 681
Bolander ME, 802
Bolognesi MP, 390
Bonadio J, 493, 598
Botchwey E, 445
Bray RC, 618
Breidenbach WC, 324
Brooks DE, 830
Brown TD, 668, 980
Browne RH, 303
Bryan JM, 762
Buckwalter JA, 1, 334
Buma P, 972
Bünger C, 343, 888
Burke DW, 769
Burrow SR, 700
Burstein AH, 85
Burton-Wurster N, 417
Buseck M, 534
Bush-Joseph CA, 534
Butler DL, 534
Butterwick DJ, 618
Bylski-Austrow DI, 534

Caldwell NJ, 654
Caler WE, 53
Callaghan JJ, 668
Carlin GJ, 1005
Carlson CS, 946
Carpenter RJ, 2
Carpenter TA, 554
Carter DR, 22, 53
Caruso EM, 102
Catherwood BD, 7
Chan KC, 778
Chaponnier C, 228
Chase SE, 921
Chen L, 390, 712
Chen L-E, 823
Chiang F-P, 862
Child A, 994
Chiu EK, 834
Christensen G, 251
Ciombor DMcK, 582
Claes L, 500
Clark SW, 857
Clayton MK, 562
Clement JG, 590
Clohisy DR, 2, 396
Coessens BC, 611, 818
Cole WG, 712
Cook C, 351
Cook WO, 74
Cooke J, 67
Cordero J, 663
Coronado G, 182
Cosio MQ, 152
Crisco JJ III, 216
Cummings JF, 534

Dahners LE, 736
Daniel DM, 131
Davidson JM, 542, 857
Deacon OW, 851
DeLacey JH, 706
Delp SL, 144, 245
DesRosiers EA, 200
Deutsch TF, 108
Dewire P, 838
Di Cesare PE, 946
Diz DI, 384
Doherty TJ, 830
Donlon B, 67
Doschak MR, 618
Draughn RA, 455

Ebramzadeh E, 238
Eggli P, 424
Einhorn TA, 341, 511
El Mestikawy Y, 914
Ellison BE, 53, 67
Engelberg R, 173,182
Eppert K, 700
Erickson H, 273
Esplin VS, 152
Eyre DR, 851

Farnum CE, 562, 927
Farquhar T, 417
Faryniarz DA, 228
Feik SA, 590
Finerman GAM, 526, 633
Firrell JC, 324
Fischer B, 914
Flotte TJ, 108
Folgueira MD, 663
Fortino MD, 639
Free SA, 245
Freeman MAR, 473
Friedman RJ, 455, 846
Frierson KE, 351
Fry M, 927
Fujii T, 377

Gabbiani G, 228
Gainor B, 251
Galante JO, 762
Geel CW, 921
Gershuni DH, 626
Ghosh P, 433
Gibbons G, 67
Gibeling JC, 794
Gibson VA, 794
Gigante A, 810
Gillison DB, 639
Goldberg MJ, 722
Golden EB, 403
Goldstein SA, 493, 598, 654
Grabowski JJ, 834
Greco F, 810
Greel DA, 311, 722
Green EM, 562
Greenleaf JF, 802
Grewal R, 842
Griffin LV, 794
Grigg P, 114
Grodzinsky AJ, 44
Gronowicz G, 878
Grood ES, 123, 534
Großschmidt K, 94
Guilak F, 862
Guldberg RE, 654
Gupta MK, 67

Halbrecht J, 255
Hall LD, 554
Hanel DP, 152
Hanley EN Jr, 742
Hansen ES, 888, 962
Hansen JC, 736
Harris WH, 769
Harvey E, 901
Hasselman CT, 1000
Hauser DL, 483
Hauser N, 946
Hayashi K, 157, 377
Heathfield TF, 61
Hede A, 16
Heijblom P, 139
Heinegård D, 547
Heinzl H, 94
Heldin C-H, 547
Herbert MA, 296
Herberts P, 895
Herman JH, 123
Hernandez JA, 573
Herndon JH, 842
Herrod NJ, 554
Hewett TE, 289
Hewick RM, 937
Hollander AP, 61
Hollister SJ, 654
Holm-Nielsen P, 962
Horowitz SM, 30
Hsu HHT, 605
Huiskes R, 36, 676, 972
Hukkanen M, 193
Hulth A, 547
Humphrey JS, 749
Hunziker E, 424, 554
Hurwitz DE, 762

Iannotti JP, 986
Imro AK, 542
Ionescu M, 681
Ishihara H, 690
Iwaki A, 265
Izumi T, 265

Jackson DW, 255
Jasty M, 769
Jelinski L, 417
Jepsen KJ, 493
Jingushi S, 265
Johnell O, 547
Johnson KD, 351
Josephsen K, 888
Joyce ME, 513
Justin R, 85

Kadoya Y, 473
Kadrmas WR, 647
Kanaya F, 324
Kandel RA, 700
Kaneda K, 157, 377
Kang Q, 846
Karduna AR, 986
Kärrholm J, 895
Kataoka K, 504
Kato T, 329, 956
Kavalkovich KW, 223
Kay A, 901
Keira M, 157
Keller RB, 171
Keller TS, 351
Kelly BT, 647
Kelly MA, 871
Khalsa PS, 114
Kinnick RR, 802
Kiratli BJ, 22
Kirkendall DT, 647
Klein R, 85
Kobayashi A, 473
Koh HL, 554

Journal of Orthopaedic Research
14:1010-1011 The Journal of Bone and Joint Surgery, Inc.
© 1996 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 14, 1996

AUTHOR INDEX

Aalkjær C, 962
Aaron RK, 582
Abrahamsson S-O, 370
Adams ML, 329
Agel J, 173, 182
Ahmed AM, 778
Akeson WH, 729
Albanese SA, 921
Algan SM, 30
Alman BA, 311, 722
Al-Saffar N, 473
Al-Shaikh R, 526
Amiel D, 729
An K-N, 834
An YH, 455, 846
Anderson HC, 605
Anderson JR, 296
Andrews M, 289
Andriacchi TP, 289, 762
Andrish JT, 384
Andrulis IL, 700
Anglen J, 251
Aoki M, 513
Apostoles PS, 251
Armstrong KL, 633
Arnold AS, 144
Ashford MW Jr, 22
Ashman RB, 303
Aspenberg P, 316
Attawia MA, 445
Aune AK, 193

Bachrach LK, 22
Baker AR, 598
Baker KJ, 303
Bao G, 483
Barreto C, 927
Bartel DL, 755
Batten ML, 736
Bauer TW, 455
Beck TJ, 483
Bell RS, 700
Bellenger CR, 433
Berbaum KS, 980
Berenson MC, 518
Bertram J, 417
Bishop AT, 329, 956
Blankevoort L, 676
Blanton SH, 994
Blasier RB, 282
Blevins FT, 518
Boardman ND, 842
Bobechko WP, 296
Bobyn JD, 901
Bogoch E, 681
Bolander ME, 802
Bolognesi MP, 390
Bonadio J, 493, 598
Botchwey E, 445
Bray RC, 618
Breidenbach WC, 324
Brooks DE, 830
Brown TD, 668, 980
Browne RH, 303
Bryan JM, 762
Buckwalter JA, 1, 334
Buma P, 972
Bünger C, 343, 888
Burke DW, 769
Burrow SR, 700
Burstein AH, 85
Burton-Wurster N, 417
Buseck M, 534
Bush-Joseph CA, 534
Butler DL, 534
Butterwick DJ, 618
Bylski-Austrow DI, 534

Caldwell NJ, 654
Caler WE, 53
Callaghan JJ, 668
Carlin GJ, 1005
Carlson CS, 946
Carpenter RJ, 2
Carpenter TA, 554
Carter DR, 22, 53
Caruso EM, 102
Catherwood BD, 7
Chan KC, 778
Chaponnier C, 228
Chase SE, 921
Chen L, 390, 712
Chen L-E, 823
Chiang F-P, 862
Child A, 994
Chiu EK, 834
Christensen G, 251
Ciombor DMcK, 582
Claes L, 500
Clark SW, 857
Clayton MK, 562
Clement JG, 590
Clohisy DR, 2, 396
Coessens BC, 611, 818
Cole WG, 712
Cook C, 351
Cook WO, 74
Cooke J, 67
Cordero J, 663
Coronado G, 182
Cosio MQ, 152
Crisco JJ III, 216
Cummings JF, 534

Dahners LE, 736
Daniel DM, 131
Davidson JM, 542, 857
Deacon OW, 851
DeLacey JH, 706
Delp SL, 144, 245
DesRosiers EA, 200
Deutsch TF, 108
Dewire P, 838
Di Cesare PE, 946
Diz DI, 384
Doherty TJ, 830
Donlon B, 67
Doschak MR, 618
Draughn RA, 455

Ebramzadeh E, 238
Eggli P, 424
Einhorn TA, 341, 511
El Mestikawy Y, 914
Ellison BE, 53, 67
Engelberg R, 173,182
Eppert K, 700
Erickson H, 273
Esplin VS, 152
Eyre DR, 851

Farnum CE, 562, 927
Farquhar T, 417
Faryniarz DA, 228
Feik SA, 590
Finerman GAM, 526, 633
Firrell JC, 324
Fischer B, 914
Flotte TJ, 108
Folgueira MD, 663
Fortino MD, 639
Free SA, 245
Freeman MAR, 473
Friedman RJ, 455, 846
Frierson KE, 351
Fry M, 927
Fujii T, 377

Gabbiani G, 228
Gainor B, 251
Galante JO, 762
Geel CW, 921
Gershuni DH, 626
Ghosh P, 433
Gibbons G, 67
Gibeling JC, 794
Gibson VA, 794
Gigante A, 810
Gillison DB, 639
Goldberg MJ, 722
Golden EB, 403
Goldstein SA, 493, 598, 654
Grabowski JJ, 834
Greco F, 810
Greel DA, 311, 722
Green EM, 562
Greenleaf JF, 802
Grewal R, 842
Griffin LV, 794
Grigg P, 114
Grodzinsky AJ, 44
Gronowicz G, 878
Grood ES, 123, 534
Großschmidt K, 94
Guilak F, 862
Guldberg RE, 654
Gupta MK, 67

Halbrecht J, 255
Hall LD, 554
Hanel DP, 152
Hanley EN Jr, 742
Hansen ES, 888, 962
Hansen JC, 736
Harris WH, 769
Harvey E, 901
Hasselman CT, 1000
Hauser DL, 483
Hauser N, 946
Hayashi K, 157, 377
Heathfield TF, 61
Hede A, 16
Heijblom P, 139
Heinegård D, 547
Heinzl H, 94
Heldin C-H, 547
Herbert MA, 296
Herberts P, 895
Herman JH, 123
Hernandez JA, 573
Herndon JH, 842
Herrod NJ, 554
Hewett TE, 289
Hewick RM, 937
Hollander AP, 61
Hollister SJ, 654
Holm-Nielsen P, 962
Horowitz SM, 30
Hsu HHT, 605
Huiskes R, 36, 676, 972
Hukkanen M, 193
Hulth A, 547
Humphrey JS, 749
Hunziker E, 424, 554
Hurwitz DE, 762

Iannotti JP, 986
Imro AK, 542
Ionescu M, 681
Ishihara H, 690
Iwaki A, 265
Izumi T, 265

Jackson DW, 255
Jasty M, 769
Jelinski L, 417
Jepsen KJ, 493
Jingushi S, 265
Johnell O, 547
Johnson KD, 351
Josephsen K, 888
Joyce ME, 513
Justin R, 85

Kadoya Y, 473
Kadrmas WR, 647
Kanaya F, 324
Kandel RA, 700
Kaneda K, 157, 377
Kang Q, 846
Karduna AR, 986
Kärrholm J, 895
Kataoka K, 504
Kato T, 329, 956
Kavalkovich KW, 223
Kay A, 901
Keira M, 157
Keller RB, 171
Keller TS, 351
Kelly BT, 647
Kelly MA, 871
Khalsa PS, 114
Kinnick RR, 802
Kiratli BJ, 22
Kirkendall DT, 647
Klein R, 85
Kobayashi A, 473
Koh HL, 554

Kornu R, 871
Koyama E, 403
Krischak S, 500
Kshirsagar A, 554
Kuelske CL, 654
Kuhn JL, 493, 706
Kuiper JH, 36
Kurtz SM, 755

Lane J, 251
Lane JM, 85, 526
Langer R, 445
Laurencin CT, 445
Lauritzen JB, 16
Leatherman JL, 403
Leenellett EE, 706
Leiferman EM, 927
Leitschuh PH, 830
Levine RE, 223
Lew DP, 914
Lew WD, 209
Lewallen DG, 802
Lewandrowski K-U, 102
Lewis JL, 209
Lieber RL, 131
Lieferman EM, 562
Lind M, 343
Lindberg L, 547
Lindquist CM, 209
Little CB, 433
Liu JJ, 61
Liu SH, 526
Llinas A, 80
Lohmander S, 370
Lorente CA, 108
Lou J, 513
Lu B, 80
Lu Z, 238
Lund B, 16
Lundgaard A, 962
Lust G, 417

Madsen JE, 193
Magnin M, 914
Majima T, 377
Malchau H, 895
Malicky DM, 282
Maloney WJ, 465, 871
Mankin HJ, 108, 413
Manlapaz M, 465
Mann K, 417
Manske PR, 513
Markolf KL, 633
Martin DP, 173, 182
Martin RB, 794
Matsui H, 690
Maxian TA, 668
Mayes CE, 542
McCarthy MB, 878
McDaniel SE, 846
McDowell SJ, 846
McKellop HA, 80, 238
McLean ID, 851
McLeod KJ, 7, 862
Mehta S, 749
Meltzer PS, 700
Mente PL, 209
Meyers L, 351
Midura RJ, 573
Milewicz DM, 994
Miller NH, 994
Miller RR, 384
Miller VM, 611, 818
Mims B, 994
Ming J, 455
Miyazono K, 547
Mohtai M, 67
Moore CA, 144
Morris EA, 937
Mort JS, 61
Morton P, 901
Mourtada FA, 483
Mullender MG, 972
Mulvany MJ, 962
Munuera L, 663
Murakami H, 742
Murakami T, 742

Nabeshima Y, 123
Nah H-D, 403
Nakamura Y, 504
Nanes MS, 7
Nanney LB, 857
Nasser RM, 823
Nelson SD, 526
Ng GYF, 851
Nguyen T, 343
Niyibizi C, 223
Noble-Topham SE, 700
Noonan KJ, 573
Nordsletten L, 193
Nori S, 810
Noyes FR, 289, 534
Nunamaker DM, 74

Oakes BW, 851
Obremsky W, 182
O'Connor DO, 769
O'Donnell RJ, 108
Ogata T, 504
Ogilvie CM, 2
Ohara WM, 626
Ohgushi H, 907
Ohlendorf C, 102, 413
Ohshima H, 690
Okumura H, 504
Okumura M, 907
Olsen C, 16
Ongpipattanakul B, 343
Osada R, 690
Oursler MJ, 396
Overgaard S, 343, 888
Oxland TR, 216
Oyama BK, 626

Pacifici M, 403
Palkert D, 396
Palmer AK, 639
Panjabi MM, 216
Panossian V, 526
Park S-H, 80
Parvizi J, 802
Patel PR, 1005
Paulsson M, 946
Pedersen DR, 668
Pedowitz RA, 626
Pekurovsky I, 396
Pepper JR, 296
Peter CP, 74
Petersen MM, 16
Pfaeffle HJ, 842
Pidoux I, 61
Plaas AHK, 518
Plenk H Jr, 94
Poff BC, 209
Polak JM, 193
Poole AR, 61, 681
Poser RD, 794
Proctor C, 255
Proctor RA, 914
Provost MT, 74
Przybylski GJ, 1005
Purdon M, 30

Qin Y-X, 862

Ramnaraine MLR, 2, 396
Ramp WK, 742
Rand JA, 834
Rao R, 80
Raval P, 605
Reiner A, 681
Revell PA, 473
Richards M, 654
Rimnac CM, 755
Rivard C-H, 200
Rodan GA, 74
Rosenberg LC, 334, 681
Roughley PJ, 61, 681
Rubash HE, 1000
Rubin CT, 7, 862
Rubin J, 7
Ruby LK, 722
Ruff CB, 483
Rusk SF, 53
Ryan JB, 830

Sah RL, 44
Sailor LZ, 937
Sakai K, 690
Sakurai A, 123
Saltzman CL, 980
Sandell LJ, 53
Santner TJ, 755
Sarmiento A, 80, 238
Savarese JJ, 273
Schaffler MB, 493
Scheinberg R, 351
Schenkman DI, 749
Schomaker KT, 108
Schurman DJ, 53, 67
Sciadini MF, 351
Scott G, 473
Scully SP, 273
Seaber AV, 390, 749, 823
Sedlacek RC, 769
Seedor JG, 74
Seidl G, 94
Sempuku T, 907
Shanbhag AS, 1000
Shapiro MM, 633
Shibata T, 504
Shida J-I, 265
Shimazu A, 403
Short WH, 639
Shyr Y, 282
Siegl H, 94
Silva PD, 131
Simkin PA, 838
Simon TM, 255
Slauterbeck JL, 633
Smith JJ, 209
Smith RL, 53, 67, 465, 871
Snapp D, 173
Søballe K, 343, 888
Soleiman N, 526
Somerset JH, 639
Soslowsky LJ, 282
Spadaro JA, 921
Specchia N, 810
Spector M, 228
Speer KP, 647
Speers RA, 144
Spindler KP, 384, 542, 857
Sponseller P, 994
Stankewich CJ, 786
Steffensmeier SJ, 980
Stetson W, 80
Stevens JW, 573
Stewart TA, 598
Stolerman ES, 946
Stone JJ-S, 834
Stover SM, 794
Stuart GW, 846
Sugioka Y, 265
Sumner DR, 762
Sung K-LP, 729
Swiontkowski MF, 173, 182, 786
Tamai S, 907
Tammi M, 573
Tammi R, 573
Tang L-H, 334
Tanzer M, 901
Taylor DC, 830
Tencer AF, 152, 786
Thanner J, 895
Thomas CDL, 590
Tissakht M, 778
Titus L, 7
Tomaino MM, 842
Tomford WW, 102, 108, 413
Tomin E, 85
Tomkins GS, 762
Tong JJ, 639
Trippel SB, 44
Tseng K-F, 598
Tsuboyama T, 94
Tsuchiya K, 53
Tsuji H, 690
Tsuji K, 504
Tsujimoto K, 384
Tulli H, 946
Tyberg JV, 618
Tyler JA, 554

Uhrich KE, 445
Urbaniak JR, 390, 823

Vail TP, 749
van der Meulen MCH, 22
van Dieën JH, 139
Van Sickle D, 255
Vasey H, 914
Vaudaux P, 914
Versleyen H, 972
Vogel KG, 518

Wallinder L, 895
Wang J-S, 316
Wang S-J, 802
Weaver-Green CM, 223
Welch RD, 303
Werner FW, 639
Werntz JR, 85
Wessells P, 53
Whittemore DE, 729
Wilke H-J, 500
Williams GR, 986
Williams JL, 986
Wilsman NJ, 562, 927
Windhager R, 94
Wolfe HJ, 311, 722
Wong M, 424
Woo SL-Y, 223, 842, 1005
Wood MB, 329, 611, 818, 956
Wuethrich P, 424

Xia Y, 417
Xu J, 842

Yahia L, 200
Yamaji T, 223
Yamamoto N, 157, 377
Yang K-H, 802
Yang L, 729
Yang R-S, 526
Yang W, 712
Yannas IV, 228
Yasuda K, 157, 377
Yetkinler DN, 786
Yoldas E, 216
Yudoh K, 690

Zaleske DJ, 102
Zerwekh J, 351

Journal of Orthopaedic Research
14:1012-1018 The Journal of Bone and Joint Surgery, Inc.
© 1996 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 14, 1996

SUBJECT INDEX

Absorptiometry
Late changes in bone mineral density of the proximal tibia following total or partial medial meniscectomy: a randomized study, 16

Adrenomedullin
Effect of human adrenomedullin on canine tibial perfusion model in the absence of vascular endothelium, 956
Short communication. Effect of human adrenomedullin on vascular resistance of the canine tibia, 329

Aging
Age trends in remodeling of the femoral midshaft differ between the sexes, 590
Protective effect of 21-aminosteroid pretreatment in peripheral nerve low-load crush injury in mature and immature rats, 823

Albumin
Short communication. Prevention of bacterial adherence to implant surfaces with a crosslinked albumin coating *in vitro*, 846

Alendronate
Effect of alendronate on fracture healing and bone remodeling in dogs, 74

Amino acid
Role of aspartate in ischemic spinal cord damage, 504

Aminosteroid
Protective effect of 21-aminosteroid pretreatment in peripheral nerve low-load crush injury in mature and immature rats, 823

Antibiotic
Gentamicin distribution from a collagen carrier, 749
Interaction of tobramycin and pH in cultured chick tibiae, 742
Removal of surface bacteria by irrigation, 251

Bacteria
Influence of bacterial strains on bone infection, 663
Novel animal model for studying the molecular mechanisms of bacterial adhesion to bone-implanted metallic devices: role of fibronectin in *Staphylococcus aureus* adhesion, 914
Removal of surface bacteria by irrigation, 251
Short communication. Prevention of bacterial adherence to implant surfaces with a crosslinked albumin coating *in vitro*, 846

Bisphosphonate
Effect of alendronate on fracture healing and bone remodeling in dogs, 74

Blood flow
Coloured microsphere assessment of blood flow to knee ligaments in adult rabbits: effects of injury, 618
Comparison of functional deficits in the rabbit tibialis anterior following tourniquet ischemia and tourniquet compression, 626
Effect of human adrenomedullin on canine tibial perfusion model in the absence of vascular endothelium, 956
Endothelin induces vasoconstriction in the bone vasculature *in vitro*: an effect mediated by a single receptor population, 611
Endothelin-A receptors mediate vascular smooth-muscle response to moderate acidosis in the canine tibial nutrient artery, 818
Functional degradation of the rabbit sciatic nerve during noncompressive segmental ischemia, 324
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 167
Method for assessment of vascular reactivity in bone: *in vitro* studies on resistance arteries isolated from porcine cancellous bone, 962
Protective effect of hypothermia on contractile force in skeletal muscle, 390
Protective effect of 21-aminosteroid pretreatment in peripheral nerve low-load crush injury in mature and immature rats, 823
Role of aspartate in ischemic spinal cord damage, 504
Short communication. Effect of human adrenomedullin on vascular resistance of the canine tibia, 329

Bone
Activating mutations of Gs protein in monostotic fibrous lesions of bone, 311
Altered load history affects periprosthetic bone loss following cementless total hip arthroplasty, 762
Basic fibroblast growth factor enhances bone-graft incorporation: dose and time dependence in rats, 316
Bone formation and bone resorption in failed total joint arthroplasties: histomorphometric analysis with histochemical and immunohistochemical technique, 473
Bone growth after osteotomy and internal fixation in young rabbits, 921
Calculated stress-shielding in the distal femur after total knee replacement corresponds to the reported location of bone loss, 778
Distribution of elastic fiber types in the epiphyseal region, 810
Effect of alendronate on fracture healing and bone remodeling in dogs, 74
Effect of capacitive coupled electrical stimulation on regenerate bone, 296
Endothelin induces vasoconstriction in the bone vasculature *in vitro*: an effect mediated by a single receptor population, 611
In vitro bone biocompatibility of poly(anhydride-*co*-imides) containing pyromellitylimidoalanine, 445
Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 167
Influence of bacterial strains on bone infection, 663
Influence of biomaterial surface texture on bone ingrowth in the rabbit femur, 445
Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209
Intraosseous infusion of prostaglandin E_2 prevents disuse-induced bone loss in the tibia, 303
Local expression of human growth hormone in bone results in impaired mechanical integrity in the skeletal tissue of transgenic mice, 598
Method for assessment of vascular reactivity in bone: *in vitro* studies on resistance arteries isolated from porcine cancellous bone, 962
Osteocyte density and histomorphometric parameters in cancellous bone of the proximal femur in five mammalian species, 972
Porous ceramics as bone graft substitutes in long bone defects: a biomechanical, histological, and radiographic analysis, 351
Qualitative and quantitative analysis of orthotopic bone regeneration by marrow, 85
Recorticalization after bifocal internal bone transport in the double-plated sheep femur, 94
Relationship between bone growth rate and hypertrophic chondrocyte volume in New Zealand White rabbits of varying ages, 706
Relative effects of wound healing and mechanical stimulus on early bone response to porous-coated implants, 654
Short communication. Cement viscosity affects the bone-cement interface in total hip arthroplasty, 834
Short communication. Subchondral plate thickness reflects tensile stress in the primate acetabulum, 838
Transforming growth factor-β1 enhances bone healing to unloaded tricalcium phosphate coated implants: an experimental study in dogs, 343
Type-I collagen mutation compromises the post-yield behavior of Mov13 long bone, 493

Bone mineral density
Augmentation of femoral neck fracture fixation with an injectable calcium-phosphate bone mineral cement, 786
Late changes in bone mineral density of the proximal tibia following total or partial medial meniscectomy: a randomized study, 16

Bone morphogenetic protein
Osteoinductive ability of confluent Saos-2 cells correlates with enhanced expression of bone morphogenetic proteins, 605
Recombinant human bone morphogenetic protein-2 maintains articular chondrocyte phenotype in long-term culture, 937

Calcaneus
Effects of medial and lateral displacement calcaneal osteotomies on tibiotalar joint contact stresses, 980

Carpal joint
Wrist joint motion simulator, 639

Cartilage
Articular chondrocyte tenascin-C production and assembly into *de novo* extracellular matrix, 273
Assessment of donor cell and matrix survival in fresh articular cartilage allografts in a goat model, 255
Basic fibroblast growth factor stimulates articular cartilage enlargement in young rats *in vivo*, 265
Chondrocyte survival in cryopreserved osteochondral articular cartilage, 413
Contents and distributions of the proteoglycans decorin and biglycan in normal and osteoarthritic human articular cartilage, 681
Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long term culture, 44
Effect of transforming growth factor-β and platelet-derived growth factor-BB on articular cartilage in rats, 547
Enhanced denaturation of the α1(II) chains of type-II collagen in normal adult human intervertebral discs compared with femoral articular cartilage, 61
Increased degradation and altered tissue distribution of cartilage oligomeric matrix protein in human rheumatoid and osteoarthritic cartilage, 946
Repopulation of laser-perforated chondroepiphyseal matrix with xenogeneic chondrocytes: an experimental model, 102

Short communication. Effect of link protein concentration on articular cartilage proteoglycan aggregation, 334
Swelling and fibronectin accumulation in articular cartilage explants after cyclical impact, 417
Topographic variation in biglycan and decorin synthesis by articular cartilage in the early stages of osteoarthritis: an experimental study in sheep, 433
Visualization by magnetic resonance imaging of focal cartilage lesions in the excised mini-pig knee, 554
Zone-specific cell biosynthetic activity in mature bovine articular cartilage: a new method using confocal microscopic stereology and quantitative autoradiography, 424

Cartilage oligomeric matrix protein

Increased degradation and altered tissue distribution of cartilage oligomeric matrix protein in human rheumatoid and osteoarthritic cartilage, 946

Cell cultures

Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long term culture, 44

Cement

Augmentation of femoral neck fracture fixation with an injectable calcium-phosphate bone mineral cement, 786
In vitro measurement of strain in the bone cement surrounding the femoral component of total hip replacements during simulated gait and stair-climbing, 769
Short communication. Cement viscosity affects the bone-cement interface in total hip arthroplasty, 834
Stable partial debonding of the cement interfaces indicated by a finite element model of a total hip prosthesis, 238

Cerebral palsy

Hamstrings and psoas lengths during normal and crouch gait: implications for muscle-tendon surgery, 144

Chondrocytes

Articular chondrocyte tenascin-C production and assembly into *de Novo* extracellular matrix, 273
Basic fibroblast growth factor stimulates articular cartilage enlargement in young rats *in vivo*, 265
Cell cycle analysis of proliferative zone chondrocytes in growth plates elongating at different rates, 562
Chondrocyte survival in cryopreserved osteochondral articular cartilage, 413
Differential growth by growth plates as a function of multiple parameters of chondrocytic kinetics, 927
Expression of interleukin-6 in osteoarthritic chondrocytes and effects of fluid-induced shear on this expression in normal human chondrocytes *in vitro*, 67
In vitro stimulation of articular chondrocyte mRNA and extracellular matrix synthesis by hydrostatic pressure, 53
Recombinant human bone morphogenetic protein-2 maintains articular chondrocyte phenotype in long-term culture, 937
Relationship between bone growth rate and hypertrophic chondrocyte volume in New Zealand White rabbits of varying ages, 706
Repopulation of laser-perforated chondroepiphyseal matrix with xenogeneic chondrocytes: an experimental model, 102

Cobalt-chromium alloy

Influence of biomaterial surface texture on bone ingrowth in the rabbit femur, 445
Osteoblast adhesion to orthopaedic implant alloys: effects of cell adhesion molecules and diamond-like carbon coating, 871

Cold storage

Chondrocyte survival in cryopreserved osteochondral articular cartilage, 413
Effect of tibial attachment location on the healing of the anterior cruciate ligament freeze model, 534
Effects of postmortem freezing on tensile failure properties of rabbit extensor digitorum longus muscle tendon complex, 830

Collagen

Alternative splicing of exon 12 of the COL2A1 gene interrupts the triple helix of type-II collagen in the Kniest form of spondyloepiphyseal dysplasia, 712
Distribution of cellular repopulation and collagen synthesis in a canine anterior cruciate ligament autograft, 384
Enhanced denaturation of the α1(II) chains of type-II collagen in normal adult human intervertebral discs compared with femoral articular cartilage, 61
Expression of collagen and matrix metalloproteinases in ruptured human anterior cruciate ligament: an *in situ* hybridization study, 857
Genetic analysis of structural elastic fiber and collagen genes in familial adolescent idiopathic scoliosis, 994
Gentamicin distribution from a collagen carrier, 749
Medial collateral ligament healing one year after a concurrent medial collateral ligament and anterior cruciate ligament injury: an interdisciplinary study in rabbits, 223
Type-I collagen mutation compromises the post-yield behavior of Mov13 long bone, 493
Uniaxial tension inhibits tendon collagen degradation by collagenase *in vitro*, 123

Collagen denaturation

Enhanced denaturation of the α1(II) chains of type-II collagen in normal adult human intervertebral discs compared with femoral articular cartilage, 61

Contraction

Comparison of functional deficits in the rabbit tibialis anterior following tourniquet ischemia and tourniquet compression, 626
Myofibroblasts in the healing lapine medial collateral ligament: possible mechanisms of contraction, 228
Protective effect of hypothermia on contractile force in skeletal muscle, 390

Confocal microscopy

Zone-specific cell biosynthetic activity in mature bovine articular cartilage: a new method using confocal microscopic stereology and quantitative autoradiography, 424

Contracture

Regulation of proliferation and platelet-derived growth factor expression in palmar fibromatosis (Dupuytren contracture) by mechanical strain, 722

Demineralized bone

Effect of Er:YAG laser holes on osteoinduction in demineralized rat calvarial allografts, 108

Diamond-like carbon

Osteoblast adhesion to orthopaedic implant alloys: effects of cell adhesion molecules and diamond-like carbon coating, 871

Distraction

Effect of capacitive coupled electrical stimulation on regenerate bone, 296
Recorticalization after bifocal internal bone transport in the double-plated sheep femur, 94

Disuse

Intraosseous infusion of prostaglandin E_2 prevents disuse-induced bone loss in the tibia, 303

DNA

Assessment of donor cell and matrix survival in fresh articular cartilage allografts in a goat model, 255
Differential effects of insulin-like growth factor-I on matrix and DNA synthesis in various regions and types of rabbit tendons, 370

Dual energy x-ray absorptiometry

Altered load history affects periprosthetic bone loss following cementless total hip arthroplasty, 762
Curved beam model of the proximal femur for estimating stress using dual-energy x-ray absorptiometry derived structural geometry, 483
Determinants of femoral geometry and structure during adolescent growth, 22

Editorial

Measuring Outcomes, 171
Re-engineering the tree of knowledge: orthopaedic research after the fall, 511
Sharing our knowledge: the importance of international exchange of ideas in orthopaedic research, 341
Timothy Wright: co-editor of the Journal of Orthopedic Research, 1

Elastic fiber

Distribution of elastic fiber types in the epiphyseal region, 810
Genetic analysis of structural elastic fiber and collagen genes in familial adolescent idiopathic scoliosis, 994

Electric fields

Acceleration of experimental endochondral ossification by biophysical stimulation of the progenitor cell pool, 582
Formation of osteoclast-like cells is suppressed by low frequency, low intensity electric fields, 7

Electrical Stimulation

Effect of capacitive coupled electrical stimulation on regenerate bone, 296
Equal effectiveness of electrical and volitional strength training for quadriceps femoris muscles after anterior cruciate ligament surgery, 131
Functional degradation of the rabbit sciatic nerve during noncompressive segmental ischemia, 324

Electromyography

Optimal normalization tests for shoulder muscle activation: an electromyographic study, 647
Reproducibility of isometric trunk extension torque, trunk extensor endurance, and related electromyographic parameters in the context of their clinical applicability, 139

Endothelin

Endothelin induces vasoconstriction in the bone vasculature *in vitro*: an effect mediated by a single receptor population, 611
Endothelin-A receptors mediate vascular smooth-muscle response to moderate acidosis in the canine tibial nutrient artery, 818

Erratum

Incorporation of polylactide-polyglycolide in a cortical defect: neoangiogenesis and blood supply in a bone chamber, 167

Extracellular matrix

Acceleration of experimental endochondral ossification by biophysical stimulation of the progenitor cell pool, 582
Articular chondrocyte tenascin-C production and assembly into *de novo* extracellular matrix, 273
Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long term culture, 44
In vitro stimulation of articular chondrocyte mRNA and extracellular matrix synthesis by hydrostatic pressure, 53
Increased degradation and altered tissue distribution of cartilage oligomeric matrix protein in human rheumatoid and osteoarthritic cartilage, 946
Spatial distribution of CD44 and hyaluronan in the proximal tibia of the growing rat, 573

Uniaxial tension inhibits tendon collagen degradation by collagenase *in vitro*, 123

Femur

Age trends in remodeling of the femoral midshaft differ between the sexes, 590
Augmentation of femoral neck fracture fixation with an injectable calcium-phosphate bone mineral cement, 786
Calculated stress-shielding in the distal femur after total knee replacement corresponds to the reported location of bone loss, 778
Curved beam model of the proximal femur for estimating stress using dual-energy x-ray absorptiometry derived structural geometry, 483
Determinants of femoral geometry and structure during adolescent growth, 22
Enhanced denaturation of the α1(II) chains of type-II collagen in normal adult human intervertebral discs compared with femoral articular cartilage, 61
Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model, 802
In vitro measurement of strain in the bone cement surrounding the femoral component of total hip replacements during simulated gait and stair-climbing, 769
Influence of biomaterial surface texture on bone ingrowth in the rabbit femur, 445
Osteocyte density and histomorphometric parameters in cancellous bone of the proximal femur in five mammalian species, 972
Recorticalization after bifocal internal bone transport in the double-plated sheep femur, 94
Short communication. Subchondral plate thickness reflects tensile stress in the primate acetabulum, 838

Fibroblast

In vitro activation of human fibroblasts by retrieved titanium alloy wear debris, 465
Myofibroblasts in the healing lapine medial collateral ligament: possible mechanisms of contraction, 228
Proliferative and matrix synthesis response of canine anterior cruciate ligament fibroblasts submitted to combined growth factors, 200
Signal pathways and ligament cell adhesiveness, 729

Fibroblast growth factor

Basic fibroblast growth factor enhances bone-graft incorporation: dose and time dependence in rats, 316
Basic fibroblast growth factor stimulates articular cartilage enlargement in young rats *in vivo*, 265
Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long term culture, 44

Fibronectin

Novel animal model for studying the molecular mechanisms of bacterial adhesion to bone-implanted metallic devices: role of fibronectin in *Staphylococcus aureus* adhesion, 914
Osteoblast adhesion to orthopaedic implant alloys: effects of cell adhesion molecules and diamond-like carbon coating, 871
Swelling and fibronectin accumulation in articular cartilage explants after cyclical impact, 417

Fibrous lesions

Activating mutations of Gs protein in monostotic fibrous lesions of bone, 311

Finite element model

Adaptive finite element modeling of long-term polyethylene wear in total hip arthroplasty, 668
Correlation of bony ingrowth to the distribution of stress and strain parameters surrounding a porous-coated implant, 862
Friction and stem stiffness affect dynamic interface motion in total hip replacement, 36
Stable partial debonding of the cement interfaces indicated by a finite element model of a total hip prosthesis, 238

Fixation

Augmentation of femoral neck fracture fixation with an injectable calcium-phosphate bone mineral cement, 786
Bone growth after osteotomy and internal fixation in young rabbits, 921
Migration of press-fit cups fixed with poly-l-lactic acid or titanium screws: a randomized study using radiostereometry, 895

Foot

Effects of medial and lateral displacement calcaneal osteotomies on tibiotalar joint contact stresses, 980
Lower limb alignment and foot angle are related to stance phase knee adduction in normal subjects: a critical analysis of the reliability of gait analysis data, 289

Force

Effects of combined knee loadings on posterior cruciate ligament force generation, 633
Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209
Protective effect of hypothermia on contractile force in skeletal muscle, 390
Trochanteric transfer in total hip replacement: effects on the moment arms and force-generating capacities of the hip abductors, 245

Fracture

Bone growth after osteotomy and internal fixation in young rabbits, 921
Effect of alendronate on fracture healing and bone remodeling in dogs, 74
Effect of loading and fracture motions on diaphyseal tibial fractures, 80
Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model, 802

Friction

Friction and stem stiffness affect dynamic interface motion in total hip replacement, 36

Gait

Hamstrings and psoas lengths during normal and crouch gait: implications for muscle-tendon surgery, 144
In vitro measurement of strain in the bone cement surrounding the femoral component of total hip replacements during simulated gait and stair-climbing, 769
Lower limb alignment and foot angle are related to stance phase knee adduction in normal subjects: a critical analysis of the reliability of gait analysis data, 289

Gamma Irradiation

Exponential model for the tensile true stress-strain behavior of as-irradiated and oxidatively degraded ultra high molecular weight polyethylene, 755

Gene

Adenovirus-mediated gene transfer into tendon and tendon sheath, 513
Alternative splicing of exon 12 of the COL2A1 gene interrupts the triple helix of type-II collagen in the Kniest form of spondyloepiphyseal dysplasia, 712
Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model, 802
Genetic analysis of structural elastic fiber and collagen genes in familial adolescent idiopathic scoliosis, 994
SAS is amplified predominantly in surface osteosarcoma, 700

Geometric properties

Curved beam model of the proximal femur for estimating stress using dual-energy x-ray absorptiometry derived structural geometry, 483
Determinants of femoral geometry and structure during adolescent growth, 22
Kinematics of the glenohumeral joint: influences on muscle forces, ligamentous constraints, and articular geometry, 986
Late changes in bone mineral density of the proximal tibia following total of partial medial meniscectomy: a randomized study, 16

Graft

Assessment of donor cell and matrix survival in fresh articular cartilage allografts in a goat model, 255
Basic fibroblast growth factor enhances bone-graft incorporation: dose and time dependence in rats, 316
Chondrocyte survival in cryopreserved osteochondral articular cartilage, 413
Distribution of cellular repopulation and collagen synthesis in a canine anterior cruciate ligament autograft, 384
Effect of Er:YAG laser holes on osteoinduction in demineralized rat calvarial allografts, 108
Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209
Long-term study of the biochemistry and biomechanics of anterior cruciate ligament-patellar tendon autografts in goats, 851
Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study, 193
Osteogenic potential of allogeneic rat marrow cells in porous hydroxyapatite ceramics: a histological study, 907
Porous ceramics as bone graft substitutes in long bone defects: a biomechanical, histological, and radiographic analysis, 351

Growth

Bone growth after osteotomy and internal fixation in young rabbits, 921
Determinants of femoral geometry and structure during adolescent growth, 22
Differential growth by growth plates as a function of multiple parameters of chondrocytic kinetics, 927
Local expression of human growth hormone in bone results in impaired mechanical integrity in the skeletal tissue of transgenic mice, 598
Relationship between bone growth rate and hypertrophic chondrocyte volume in New Zealand White rabbits of varying ages, 706
Repopulation of laser-perforated chondroepiphyseal matrix with xenogeneic chondrocytes: an experimental model, 102

Growth associated protein 43/B-50

Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study, 193

Growth plate

Cell cycle analysis of proliferative zone chondrocytes in growth plates elongating at different rates, 562
Differential growth by growth plates as a function of multiple parameters of chondrocytic kinetics, 927
Relationship between bone growth rate and hypertrophic chondrocyte volume in New Zealand White rabbits of varying ages, 706

Healing

Effect of alendronate on fracture healing and bone remodeling in dogs, 74
Effect of capacitive coupled electrical stimulation on regenerate bone, 296
Effect of loading and fracture motions on diaphyseal tibial fractures, 80

Effect of tibial attachment location on the healing of the anterior cruciate ligament freeze model, 534
Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model, 802
Expression of collagen and matrix metalloproteinases in ruptured human anterior cruciate ligament: an *in situ* hybridization study, 857
Influence of dosage and timing of application of platelet-derived growth factor on early healing of the rat medial collateral ligament, 736
Medial collateral ligament healing one year after a concurrent medial collateral ligament and anterior cruciate ligament injury: an interdisciplinary study in rabbits, 223
Myofibroblasts in the healing lapine medial collateral ligament: possible mechanisms of contraction, 228
Porous ceramics as bone graft substitutes in long bone defects: a biomechanical, histological, and radiographic analysis, 351
Qualitative and quantitative analysis of orthotopic bone regeneration by marrow, 85
Relative effects of wound healing and mechanical stimulus on early bone response to porous-coated implants, 654
Transforming growth factor-β1 enhances bone healing to unloaded tricalcium phosphate coated implants: an experimental study in dogs, 343

Health status instrument

Development of a musculoskeletal extremity health status instrument: the musculoskeletal function assessment instrument, 173
Musculoskeletal function assessment instrument: criterion and construct validity, 182

Hip

Adaptive finite element modeling of long-term polyethylene wear in total hip arthroplasty, 668
Altered load history affects periprosthetic bone loss following cementless total hip arthroplasty, 762
Friction and stem stiffness affect dynamic interface motion in total hip replacement, 36
In vitro measurement of strain in the bone cement surrounding the femoral component of total hip replacements during simulated gait and stair-climbing, 769
Migration of press-fit cups fixed with poly-l-lactic acid or titanium screws: a randomized study using radiostereometry, 895
Short communication. Cement viscosity affects the bone-cement interface in total hip arthroplasty, 834
Short communication. Subchondral plate thickness reflects tensile stress in the primate acetabulum, 838
Stable partial debonding of the cement interfaces indicated by a finite element model of a total hip prosthesis, 238
Trochanteric transfer in total hip replacement: effects on the moment arms and force-generating capacities of the hip abductors, 245

Hormone

Autocrine/paracrine mechanism of insulin-like growth factor-1 secretion, and the effect of insulin-like growth factor-1 on proteoglycan synthesis in bovine intervertebral discs, 690
Local expression of human growth hormone in bone results in impaired mechanical integrity in the skeletal tissue of transgenic mice, 598
Primary immunolocalization of estrogen and progesterone target cells in the human anterior cruciate ligament, 526

Hydrostatic pressure

In vitro stimulation of articular chondrocyte mRNA and extracellular matrix synthesis by hydrostatic pressure, 53

Hydroxyapatite

Osteogenic potential of allogeneic rat marrow cells in porous hydroxyapatite ceramics: a histological study, 907
Role of different loading conditions on resorption of hydroxyapatite coating evaluated by histomorphometric and stereological methods, 888

Ilizarov method

Effect of capacitive coupled electrical stimulation on regenerate bone, 296
Recorticalization after bifocal internal bone transport in the double-plated sheep femur, 94

Implant

Correlation of bony ingrowth to the distribution of stress and strain parameters surrounding a porous-coated implant, 862
Effect of noninvasive low intensity ultrasound on bone growth into porous-coated implants, 901
Novel animal model for studying the molecular mechanisms of bacterial adhesion to bone-implanted metallic devices: role of fibronectin in *Staphylococcus aureus* adhesion, 914
Osteoblast adhesion to orthopaedic implant alloys: effects of cell adhesion molecules and diamond-like carbon coating, 871
Response of human osteoblasts to implant materials: integrin-mediated adhesion, 878
Role of different loading conditions on resorption of hydroxyapatite coating evaluated by histomorphometric and stereological methods, 888
Short communication. Prevention of bacterial adherence to implant surfaces with a crosslinked albumin coating *in vitro*, 846
Transforming growth factor-β1 enhances bone healing to unloaded tricalcium phosphate coated implants: an experimental study in dogs, 343

***In situ* hybridization**

Expression of collagen and matrix metalloproteinases in ruptured human anterior cruciate ligament: an *in situ* hybridization study, 857
Spatial distribution of CD44 and hyaluronan in the proximal tibia of the growing rat, 573

Infection

Influence of bacterial strains on bone infection, 663

Innervation

Functional degradation of the rabbit sciatic nerve during noncompressive segmental ischemia, 324
Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study, 193
Protective effect of 21-aminosteroid pretreatment in peripheral nerve low-load crush injury in mature and immature rats, 823
Responses of mechanoreceptor neurons in the cat knee joint capsule before and after anterior cruciate ligament transection, 114
Role of aspartate in ischemic spinal cord damage, 504

Insulin-like growth factor

Autocrine/paracrine mechanism of insulin-like growth factor-1 secretion, and the effect of insulin-like growth factor-1 on proteoglycan synthesis in bovine intervertebral discs, 690
Differential effects of insulin-like growth factor-I on matrix and DNA synthesis in various regions and types of rabbit tendons, 370
Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long term culture, 44
Proliferative and matrix synthesis response of canine anterior cruciate ligament fibroblasts submitted to combined growth factors, 200

Integrin

Response of human osteoblasts to implant materials: integrin-mediated adhesion, 878

Interleukin

Expression of interleukin-6 in osteoarthritic chondrocytes and effects of fluid-induced shear on this expression in normal human chondrocytes *in vitro*, 67
Role of tumor necrosis factor alpha in particulate-induced bone resorption, 30

Interosseous membrane

Short communication. Tensile properties of the interosseous membrane of the human forearm, 842

Intervertebral disc

Autocrine/paracrine mechanism of insulin-like growth factor-1 secretion, and the effect of insulin-like growth factor-1 on proteoglycan synthesis in bovine intervertebral discs, 690
Enhanced denaturation of the α1(II) chains of type-II collagen in normal adult human intervertebral discs compared with femoral articular cartilage, 61

Irrigation

Removal of surface bacteria by irrigation, 251

Joint stability

Anterior glenohumeral stabilization factors: progressive effects in a biomechanical model, 282

Kinematics

Effect of loading and fracture motions on diaphyseal tibial fractures, 80
Hamstrings and psoas lengths during normal and crouch gait: implications for muscle-tendon surgery, 144
Kinematics of the glenohumeral joint: influences on muscle forces, ligamentous constraints, and articular geometry, 986
Wrist joint motion simulator, 639

Knee

Calculated stress-shielding in the distal femur after total knee replacement corresponds to the reported location of bone loss, 778
Coloured microsphere assessment of blood flow to knee ligaments in adult rabbits: effects of injury, 618
Effects of combined knee loadings on posterior cruciate ligament force generation, 633
Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209
Late changes in bone mineral density of the proximal tibia following total or partial medial meniscectomy: a randomized study, 16
Long-term study of the biochemistry and biomechanics of anterior cruciate ligament-patellar tendon autografts in goats, 851
Lower limb alignment and foot angle are related to stance phase knee adduction in normal subjects: a critical analysis of the reliability of gait analysis data, 289
Medial collateral ligament healing one year after a concurrent medial collateral ligament and anterior cruciate ligament injury: an interdisciplinary study in rabbits, 223
Responses of mechanoreceptor neurons in the cat knee joint capsule before and after anterior cruciate ligament transection, 114
Short communication. A mechanism for rotation restraints in the knee joint, 676
Visualization by magnetic resonance imaging of focal cartilage lesions in the excised mini-pig knee, 554

Laser

Effect of Er:YAG laser holes on osteoinduction in demineralized rat calvarial allografts, 108
Repopulation of laser-perforated chondroepiphyseal matrix with xenogeneic chondrocytes: an experimental model, 102

Laxity

Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209

Subfailure injury of the rabbit anterior cruciate ligament, 216

Ligament

Coloured microsphere assessment of blood flow to knee ligaments in adult rabbits: effects of injury, 618
Distribution of cellular repopulation and collagen synthesis in a canine anterior cruciate ligament autograft, 384
Effect of tibial attachment location on the healing of the anterior cruciate ligament freeze model, 534
Effects of combined knee loadings on posterior cruciate ligament force generation, 633
Equal effectiveness of electrical and volitional strength training for quadriceps femoris muscles after anterior cruciate ligament surgery, 131
Expression of collagen and matrix metalloproteinases in ruptured human anterior cruciate ligament: an *in situ* hybridization study, 857
Influence of dosage and timing of application of platelet-derived growth factor on early healing of the rat medial collateral ligament, 736
Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209
Kinematics of the glenohumeral joint: influences on muscle forces, ligamentous constraints, and articular geometry, 986
Long-term study of the biochemistry and biomechanics of anterior cruciate ligament-patellar tendon autografts in goats, 851
Mechanical properties of the anterior cruciate ligament chronically relaxed by elevation of the tibial insertion, 157
Medial collateral ligament healing one year after a concurrent medial collateral ligament and anterior cruciate ligament injury: an interdisciplinary study in rabbits, 223
Myofibroblasts in the healing lapine medial collateral ligament: possible mechanisms of contraction, 228
Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study, 193
Patellar tendon and anterior cruciate ligament have different mitogenic responses to platelet-derived growth factor and transforming growth factor β, 542
Primary immunolocalization of estrogen and progesterone target cells in the human anterior cruciate ligament, 526
Proliferative and matrix synthesis response of canine anterior cruciate ligament fibroblasts submitted to combined growth factors, 200
Responses of mechanoreceptor neurons in the cat knee joint capsule before and after anterior cruciate ligament transection, 114
Short communication. A mechanism for rotation restraints in the knee joint, 676
Short communication. Human anterior and posterior cervical longitudinal ligaments possess similar tensile properties, 1005
Short communication. Tensile properties of the interosseous membrane of the human forearm, 842
Signal pathways and ligament cell adhesiveness, 729
Subfailure injury of the rabbit anterior cruciate ligament, 216

Load

Altered load history affects periprosthetic bone loss following cementless total hip arthroplasty, 762
Effect of loading and fracture motions on diaphyseal tibial fractures, 80
Effects of combined knee loadings on posterior cruciate ligament force generation, 633
Relative effects of wound healing and mechanical stimulus on early bone response to porous-coated implants, 654
Role of different loading conditions on resorption of hydroxyapatite coating evaluated by histomorphometric and stereological methods, 888
Swelling and fibronectin accumulation in articular cartilage explants after cyclical impact, 417

Load deformation

Subfailure injury of the rabbit anterior cruciate ligament, 216

Macrophages

Role of tumor necrosis factor alpha in particulate-induced bone resorption, 30

Magnetic resonance imaging

Visualization by magnetic resonance imaging of focal cartilage lesions in the excised mini-pig knee, 554

Mammal

Osteocyte density and histomorphometric parameters in cancellous bone of the proximal femur in five mammalian species, 972

Marrow

Osteogenic potential of allogeneic rat marrow cells in porous hydroxyapatite ceramics: a histological study, 907
Porous ceramics as bone graft substitutes in long bone defects: a biomechanical, histological, and radiographic analysis, 351
Qualitative and quantitative analysis of orthotopic bone regeneration by marrow, 85

Mathematical model

Exponential model for the tensile true stress-strain behavior of as-irradiated and oxidatively degraded ultra high molecular weight polyethylene, 755

Meniscus

Late changes in bone mineral density of the proximal tibia following total or partial medial meniscectomy: a randomized study, 16

Metabolism

Differential effects of serum, insulin-like growth factor-I, and fibroblast growth factor-2 on the maintenance of cartilage physical properties during long term culture, 44

Metacarpus

In vitro fatigue behavior of the equine third metacarpus: remodeling and microcrack damage analysis, 794

Metalloproteinase

Expression of collagen and matrix metalloproteinases in ruptured human anterior cruciate ligament: an *in situ* hybridization study, 857
Uniaxial tension inhibits tendon collagen degradation by collagenase *in vitro*, 123

Mitogen

Basic fibroblast growth factor stimulates articular cartilage enlargement in young rats *in vivo*, 265
Patellar tendon and anterior cruciate ligament have different mitogenic responses to platelet-derived growth factor and transforming growth factor β, 542

Moment

Trochanteric transfer in total hip replacement: effects on the moment arms and force-generating capacities of the hip abductors, 245

mRNA

Expression of interleukin-6 in osteoarthritic chondrocytes and effects of fluid-induced shear on this expression in normal human chondrocytes *in vitro*, 67
In vitro stimulation of articular chondrocyte mRNA and extracellular matrix synthesis by hydrostatic pressure, 53

Muscle

Comparison of functional deficits in the rabbit tibialis anterior following tourniquet ischemia and tourniquet compression, 626
Effects of postmortem freezing on tensile failure properties of rabbit extensor digitorum longus muscle tendon complex, 830
Endothelin-A receptors mediate vascular smooth-muscle response to moderate acidosis in the canine tibial nutrient artery, 818
Equal effectiveness of electrical and volitional strength training for quadriceps femoris muscles after anterior cruciate ligament surgery, 131
Hamstrings and psoas lengths during normal and crouch gait: implications for muscle-tendon surgery, 144
Kinematics of the glenohumeral joint: influences on muscle forces, ligamentous constraints, and articular geometry, 986
Optimal normalization tests for shoulder muscle activation: an electromyographic study, 647
Protective effect of hypothermia on contractile force in skeletal muscle, 390
Reproducibility of isometric trunk extension torque, trunk extensor endurance, and related electromyographic parameters in the context of their clinical applicability, 139
Restoration of function of the thumb flexor apparatus requires repair of the oblique and one adjacent flexor tendon pulley, 152
Trochanteric transfer in total hip replacement: effects on the moment arms and force-generating capacities of the hip abductors, 245

Mutation

Activating mutations of Gs protein in monostotic fibrous lesions of bone, 311
Alternative splicing of exon 12 of the COL2A1 gene interrupts the triple helix of type-II collagen in the Kniest form of spondyloepiphyseal dysplasia, 712
Type-I collagen mutation compromises the post-yield behavior of Mov13 long bone, 493

Orthopaedic research

Re-engineering the tree of knowledge: orthopaedic research after the fall (editorial), 511
Sharing our knowledge: the importance of international exchange of ideas in orthopaedic research (editorial), 341

Ossification

Acceleration of experimental endochondral ossification by biophysical stimulation of the progenitor cell pool, 582

Osteoarthritis

Contents and distributions of the proteoglycans decorin and biglycan in normal and osteoarthritic human articular cartilage, 681
Expression of interleukin-6 in osteoarthritic chondrocytes and effects of fluid-induced shear on this expression in normal human chondrocytes *in vitro*, 67
Increased degradation and altered tissue distribution of cartilage oligomeric matrix protein in human rheumatoid and osteoarthritic cartilage, 946
Swelling and fibronectin accumulation in articular cartilage explants after cyclical impact, 417
Topographic variation in biglycan and decorin synthesis by articular cartilage in the early stages of osteoarthritis: an experimental study in sheep, 433

Osteoblast

In vitro bone biocompatibility of poly(anhydride-*co*-imides) containing pyromellitylimidoalanine, 445
Osteoblast adhesion to orthopaedic implant alloys: effects of cell adhesion molecules and diamond-like carbon coating, 871
Response of human osteoblasts to implant materials: integrin-mediated adhesion, 878

Osteoclast

Formation of osteoclast-like cells is suppressed by low frequency, low intensity electric fields, 7

Human breast cancer induces osteoclast activation and increases the number of osteoclasts at sites of tumor osteolysis, 396
Localized, tumor-associated osteolysis involves the recruitment and activation of osteoclasts, 2

Osteogenesis

Correlation of bony ingrowth to the distribution of stress and strain parameters surrounding a porous-coated implant, 862
Effect of capacitive coupled electrical stimulation on regenerate bone, 296
Effect of Er:YAG laser holes on osteoinduction in demineralized rat calvarial allografts, 108
Effect of noninvasive low intensity ultrasound on bone growth into porous-coated implants, 901
Osteogenic potential of allogeneic rat marrow cells in porous hydroxyapatite ceramics: a histological study, 907
Osteoinductive ability of confluent Saos-2 cells correlates with enhanced expression of bone morphogenetic proteins, 605
Qualitative and quantitative analysis of orthotopic bone regeneration by marrow, 85
Recorticalization after bifocal internal bone transport in the double-plated sheep femur, 94

Osteolysis

Bone formation and bone resorption in failed total joint arthroplasties: histomorphometric analysis with histochemical and immunohistochemical technique, 473
Human breast cancer induces osteoclast activation and increases the number of osteoclasts at sites of tumor osteolysis, 396
Localized, tumor-associated osteolysis involves the recruitment and activation of osteoclasts, 2

Osteosarcoma

Osteoinductive ability of confluent Saos-2 cells correlates with enhanced expression of bone morphogenetic proteins, 605
SAS is amplified predominantly in surface osteosarcoma, 700

Osteotomy

Bone growth after osteotomy and internal fixation in young rabbits, 921
Effects of medial and lateral displacement calcaneal osteotomies on tibiotalar joint contact stresses, 980

Outcomes assessment

Development of a musculoskeletal extremity health status instrument: the musculoskeletal function assessment instrument, 173
Measuring outcomes (editorial), 171
Musculoskeletal function assessment instrument: criterion and construct validity, 182

Oxidative degradation

Exponential model for the tensile true stress-strain behavior of as-irradiated and oxidatively degraded ultra high molecular weight polyethylene, 755

Periosteum

Expression of syndecan-3 and tenascin-C: possible involvement in periosteum development, 403

Platelet-derived growth factor

Effect of transforming growth factor-β and platelet-derived growth factor-BB on articular cartilage in rats, 547
Influence of dosage and timing of application of platelet-derived growth factor on early healing of the rat medial collateral ligament, 736
Patellar tendon and anterior cruciate ligament have different mitogenic responses to platelet-derived growth factor and transforming growth factor β, 542
Proliferative and matrix synthesis response of canine anterior cruciate ligament fibroblasts submitted to combined growth factors, 200
Regulation of proliferation and platelet-derived growth factor expression in palmar fibromatosis (Dupuytren contracture) by mechanical strain, 722

Polyethylene

Adaptive finite element modeling of long-term polyethylene wear in total hip arthroplasty, 668
Exponential model for the tensile true stress-strain behavior of as-irradiated and oxidatively degraded ultra high molecular weight polyethylene, 755
Short communication. Technique for generating submicrometer ultra high molecular weight polyethylene particles, 1000

Prostaglandin E_2

Intraosseous infusion of prostaglandin E_2 prevents disuse-induced bone loss in the tibia, 303
Role of tumor necrosis factor alpha in particulate-induced bone resorption, 30

Prosthesis

Friction and stem stiffness affect dynamic interface motion in total hip replacement, 36
Migration of press-fit cups fixed with poly-l-lactic acid or titanium screws: a randomized study using radiostereometry, 895
Stable partial debonding of the cement interfaces indicated by a finite element model of a total hip prosthesis, 238

Proteoglycan

Autocrine/paracrine mechanism of insulin-like growth factor-1 secretion, and the effect of insulin-like growth factor-1 on proteoglycan synthesis in bovine intervertebral discs, 690
Contents and distributions of the proteoglycans decorin and biglycan in normal and osteoarthritic human articular cartilage, 681
Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model, 802
Proteoglycans of human rotator cuff tendons, 518
Recombinant human bone morphogenetic protein-2 maintains articular chondrocyte phenotype in long-term culture, 937
Short communication. Effect of link protein concentration on articular cartilage proteoglycan aggregation, 334
Topographic variation in biglycan and decorin synthesis by articular cartilage in the early stages of osteoarthritis: an experimental study in sheep, 433

Pulley

Restoration of function of the thumb flexor apparatus requires repair of the oblique and one adjacent flexor tendon pulley, 152

Pyromellitylimidoalanine

In vitro bone biocompatibility of poly(anhydride-*co*-imides) containing pyromellitylimidoalanine, 445

Radiography

Migration of press-fit cups fixed with poly-l-lactic acid or titanium screws: a randomized study using radiostereometry, 895
Zone-specific cell biosynthetic activity in mature bovine articular cartilage: a new method using confocal microscopic stereology and quantitative autoradiography, 424

Radius

Short communication. Tensile properties of the interosseous membrane of the human forearm, 842
Wrist joint motion simulator, 639

Remodeling

Age trends in remodeling of the femoral midshaft differ between the sexes, 590
Effect of alendronate on fracture healing and bone remodeling in dogs, 74
In vitro fatigue behavior of the equine third metacarpus: remodeling and microcrack damage analysis, 794
Late changes in bone mineral density of the proximal tibia following total of partial medial meniscectomy: a randomized study, 16
Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study, 193
Recorticalization after bifocal internal bone transport in the double-plated sheep femur, 94

Resorption

Bone formation and bone resorption in failed total joint arthroplasties: histomorphometric analysis with histochemical and immunohistochemical technique, 473
Formation of osteoclast-like cells is suppressed by low frequency, low intensity electric fields, 7
Localized, tumor-associated osteolysis involves the recruitment and activation of osteoclasts, 2
Role of different loading conditions on resorption of hydroxyapatite coating evaluated by histomorphometric and stereological methods, 888
Role of tumor necrosis factor alpha in particulate-induced bone resorption, 30

Scoliosis

Genetic analysis of structural elastic fiber and collagen genes in familial adolescent idiopathic scoliosis, 994

Shear

Expression of interleukin-6 in osteoarthritic chondrocytes and effects of fluid-induced shear on this expression in normal human chondrocytes *in vitro*, 67

Shoulder

Anterior glenohumeral stabilization factors: progressive effects in a biomechanical model, 282
Kinematics of the glenohumeral joint: influences on muscle forces, ligamentous constraints, and articular geometry, 986
Optimal normalization tests for shoulder muscle activation: an electromyographic study, 647
Proteoglycans of human rotator cuff tendons, 518

Signal transduction

Signal pathways and ligament cell adhesiveness, 729

Spine

Biomechanical comparison of calf and human spines, 500
Genetic analysis of structural elastic fiber and collagen genes in familial adolescent idiopathic scoliosis, 994
Role of aspartate in ischemic spinal cord damage, 504
Short communication. Human anterior and posterior cervical longitudinal ligaments possess similar tensile properties, 1005

Spondyloepiphyseal dysplasia

Alternative splicing of exon 12 of the COL2A1 gene interrupts the triple helix of type-II collagen in the Kniest form of spondyloepiphyseal dysplasia, 712

Strain

Correlation of bony ingrowth to the distribution of stress and strain parameters surrounding a porous-coated implant, 862
Exponential model for the tensile true stress-strain behavior of as-irradiated and oxidatively degraded ultra high molecular weight polyethylene, 755
In vitro measurement of strain in the bone cement surrounding the femoral component of total hip replacements during simulated gait and stair-climbing, 769
Regulation of proliferation and platelet-derived growth factor expression in palmar fibromatosis (Dupuytren contracture) by mechanical strain, 722

Short communication. Human anterior and posterior cervical longitudinal ligaments possess similar tensile properties, 1005

Strength

Equal effectiveness of electrical and volitional strength training for quadriceps femoris muscles after anterior cruciate ligament surgery, 131

Stress

Altered load history affects periprosthetic bone loss following cementless total hip arthroplasty, 762
Biomechanical effects of stress shielding of the rabbit patellar tendon depend on the degree of stress reduction, 377
Calculated stress-shielding in the distal femur after total knee replacement corresponds to the reported location of bone loss, 778
Correlation of bony ingrowth to the distribution of stress and strain parameters surrounding a porous-coated implant, 862
Curved beam model of the proximal femur for estimating stress using dual-energy x-ray absorptiometry derived structural geometry, 483
Effects of medial and lateral displacement calcaneal osteotomies on tibiotalar joint contact stresses, 980
Exponential model for the tensile true stress-strain behavior of as-irradiated and oxidatively degraded ultra high molecular weight polyethylene, 755
Mechanical properties of the anterior cruciate ligament chronically relaxed by elevation of the tibial insertion, 157
Short communication. Human anterior and posterior cervical longitudinal ligaments possess similar tensile properties, 1005
Short communication. Subchondral plate thickness reflects tensile stress in the primate acetabulum, 838

Stress/strain to failure

Effects of postmortem freezing on tensile failure properties of rabbit extensor digitorum longus muscle tendon complex, 830
In vitro fatigue behavior of the equine third metacarpus: remodeling and microcrack damage analysis, 794
Short communication. Tensile properties of the interosseous membrane of the human forearm, 842
Stable partial debonding of the cement interfaces indicated by a finite element model of a total hip prosthesis, 238
Subfailure injury of the rabbit anterior cruciate ligament, 216
Uniaxial tension inhibits tendon collagen degradation by collagenase *in vitro*, 123

Tenascin-C

Articular chondrocyte tenascin-C production and assembly into *de novo* extracellular matrix, 273
Expression of syndecan-3 and tenascin-C: possible involvement in periosteum development, 403

Tendon

Adenovirus-mediated gene transfer into tendon and tendon sheath, 513
Biomechanical effects of stress shielding of the rabbit patellar tendon depend on the degree of stress reduction, 377
Differential effects of insulin-like growth factor-I on matrix and DNA synthesis in various regions and types of rabbit tendons, 370
Effects of postmortem freezing on tensile failure properties of rabbit extensor digitorum longus muscle tendon complex, 830
Hamstrings and psoas lengths during normal and crouch gait: implications for muscle-tendon surgery, 144
Intraoperative force-setting did not improve the mechanical properties of an augmented bone-tendon-bone anterior cruciate ligament graft in a goat model, 209
Long-term study of the biochemistry and biomechanics of anterior cruciate ligament-patellar tendon autografts in goats, 851
Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study, 193
Patellar tendon and anterior cruciate ligament have different mitogenic responses to platelet-derived growth factor and transforming growth factor β, 542
Proteoglycans of human rotator cuff tendons, 518
Restoration of function of the thumb flexor apparatus requires repair of the oblique and one adjacent flexor tendon pulley, 152
Uniaxial tension inhibits tendon collagen degradation by collagenase *in vitro*, 123

Three-dimensional model

Short communication. A mechanism for rotation restraints in the knee joint, 676
Stable partial debonding of the cement interfaces indicated by a finite element model of a total hip prosthesis, 238
Trochanteric transfer in total hip replacement: effects on the moment arms and force-generating capacities of the hip abductors, 245

Thumb

Restoration of function of the thumb flexor apparatus requires repair of the oblique and one adjacent flexor tendon pulley, 152

Tibia

Effect of human adrenomedullin on canine tibial perfusion model in the absence of vascular endothelium, 956
Effect of loading and fracture motions on diaphyseal tibial fractures, 80
Effect of tibial attachment location on the healing of the anterior cruciate ligament freeze model, 534
Effects of medial and lateral displacement calcaneal osteotomies on tibiotalar joint contact stresses, 980
Endothelin-A receptors mediate vascular smooth-muscle response to moderate acidosis in the canine tibial nutrient artery, 818
Interaction of tobramycin and pH in cultured chick tibiae, 742
Intraosseous infusion of prostaglandin E_2 prevents disuse-induced bone loss in the tibia, 303
Late changes in bone mineral density of the proximal tibia following total or partial medial meniscectomy: a randomized study, 16
Mechanical properties of the anterior cruciate ligament chronically relaxed by elevation of the tibial insertion, 157
Short communication. Effect of human adrenomeullin on vascular resistance of the canine tibia, 329
Spatial distribution of CD44 and hyaluronan in the proximal tibia of the growing rat, 573

Titanium alloy

In vitro activation of human fibroblasts by retrieved titanium alloy wear debris, 465
Influence of biomaterial surface texture on bone ingrowth in the rabbit femur, 445
Osteoblast adhesion to orthopaedic implant alloys: effects of cell adhesion molecules and diamond-like carbon coating, 871

Torque

Reproducibility of isometric trunk extension torque, trunk extensor endurance, and related electromyographic parameters in the context of their clinical applicability, 139

Tourniquet

Comparison of functional deficits in the rabbit tibialis anterior following tourniquet ischemia and tourniquet compression, 626

Transforming growth factor

Effect of transforming growth factor-β and platelet-derived growth factor-BB on articular cartilage in rats, 547
Patellar tendon and anterior cruciate ligament have different mitogenic responses to platelet-derived growth factor and transforming growth factor β, 542
Proliferative and matrix synthesis response of canine anterior cruciate ligament fibroblasts submitted to combined growth factors, 200
Transforming growth factor-β1 enhances bone healing to unloaded tricalcium phosphate coated implants: an experimental study in dogs, 343

Tumor

Human breast cancer induces osteoclast activation and increases the number of osteoclasts at sites of tumor osteolysis, 396
Localized, tumor-associated osteolysis involves the recruitment and activation of osteoclasts, 2
Tumor necrosis factor alpha
Role of tumor necrosis factor alpha in particulate-induced bone resorption, 30

Ulna

Short communication. Tensile properties of the interosseous membrane of the human forearm, 842
Wrist joint motion simulator, 639

Ultrasound

Effect of noninvasive low intensity ultrasound on bone growth into porous-coated implants, 901
Exposure to low-intensity ultrasound increases aggrecan gene expression in a rat femur fracture model, 802

Validity

Musculoskeletal function assessment instrument: criterion and construct validity, 182

Vascular endothelium

Effect of human adrenomedullin on canine tibial perfusion model in the absence of vascular endothelium, 956
Endothelin induces vasoconstriction *in vitro*: an effect mediated by a single receptor population, 611
Endothelin-A receptors mediate vascular smooth-muscle response to moderate acidosis in the canine tibial nutrient artery, 818
Method for assessment of vascular reactivity in bone: *in vitro* studies on resistance arteries isolated from porcine cancellous bone, 962

Wear

Adaptive finite element modeling of long-term polyethylene wear in total hip arthroplasty, 668
In vitro activation of human fibroblasts by retrieved titanium alloy wear debris, 465
Short communication. Technique for generating submicrometer ultra high molecular weight polyethylene particles, 1000